

Windbreak Interpretations

Farmstead windbreaks protect livestock, buildings, and yards from wind and snow. They also protect fruit trees and gardens, and they furnish habitat for wildlife. Several rows of low-growing and high-growing broadleaf and coniferous trees and shrubs provide the most protection.

Field windbreaks are narrow plantings made at right angles to the prevailing wind and at specific intervals across the field. The interval depends on the erodibility of the soil. Field windbreaks protect cropland and crops from wind, help to keep snow on the fields, increase crop yields, and provide food and cover for wildlife.

Each tree or shrub species has certain climatic and physiographic limits. Within these parameters a tree or shrub may be well or poorly suited because of soil characteristics. Each tree or shrub also has definable potentials of height growth based on the soil type and climate.

Information in this subsection, which includes windbreak suitability groups and a windbreak and environmental plantings table, can be used as a guide in planning windbreaks and screens.

This subsection includes:

- **(a) Trees and Shrubs for Windbreak and Environmental Plantings**

Scotland County, Missouri
Windbreaks and Environmental Plantings

(Absence of an entry indicates that trees generally do not grow to the given height.)

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
ALC: ALVIN-----	American plum; fragrant sumac	gray dogwood	Amur maple; eastern redcedar; nannyberry; Washington hawthorn	baldcypress; common hackberry; green ash; northern red oak	eastern white pine
Ar: ARBELA-----	American plum; fragrant sumac	blackhaw; gray dogwood	eastern redcedar; nannyberry; Washington hawthorn	baldcypress; green ash; sweetgum	eastern white pine; pin oak
AsC2: ARMSTER-----	fragrant sumac	American plum; gray dogwood; southern arrowwood	eastern redbud; eastern redcedar; Washington hawthorn	green ash; northern red oak; tuliptree; white fir	eastern white pine
AsD2: ARMSTER-----	fragrant sumac	American plum; gray dogwood; southern arrowwood	eastern redbud; eastern redcedar; Washington hawthorn	green ash; northern red oak; tuliptree; white fir	eastern white pine
Bk: BLACKOAR-----	buttonbush	possumhaw	eastern arborvitae; eastern redcedar; nannyberry	baldcypress; common hackberry; pin oak	eastern cottonwood
Br: BLACKOAR-----	buttonbush	possumhaw	eastern arborvitae; eastern redcedar; nannyberry	baldcypress; common hackberry; pin oak	eastern cottonwood
ARBELA-----	American plum; fragrant sumac	blackhaw; gray dogwood	eastern redcedar; nannyberry; Washington hawthorn	baldcypress; green ash; sweetgum	eastern white pine; pin oak
Ch: CHARITON-----	buttonbush	possumhaw	eastern arborvitae; eastern redcedar; nannyberry	baldcypress; common hackberry; pin oak	eastern cottonwood

Scotland County, Missouri
Windbreaks and Environmental Plantings

(Absence of an entry indicates that trees generally do not grow to the given height.)

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
Cm: CHEQUEST-----	buttonbush	possumhaw	eastern arborvitae; eastern redcedar; nannyberry	baldcypress; common hackberry; pin oak	eastern cottonwood
Co: COLO-----	buttonbush	possumhaw	eastern arborvitae; eastern redcedar; nannyberry	baldcypress; common hackberry; pin oak	eastern cottonwood
Ed: EDINA-----	buttonbush	possumhaw	eastern arborvitae; eastern redcedar; nannyberry	baldcypress; common hackberry; pin oak	eastern cottonwood
Fa: FATIMA-----	American plum; fragrant sumac	blackhaw; gray dogwood	eastern redcedar; nannyberry; Washington hawthorn	baldcypress; green ash; sweetgum	eastern white pine; pin oak
GaD2: GARA-----	fragrant sumac	American plum; gray dogwood; southern arrowwood	eastern redbud; eastern redcedar; Washington hawthorn	green ash; northern red oak; tuliptree; white fir	eastern white pine
GaE2: GARA-----	fragrant sumac	American plum; gray dogwood; southern arrowwood	eastern redbud; eastern redcedar; Washington hawthorn	green ash; northern red oak; tuliptree; white fir	eastern white pine
GfB: GIFFORD-----	---	---	---	---	---
GfC2: GIFFORD-----	---	---	---	---	---

Scotland County, Missouri
Windbreaks and Environmental Plantings

(Absence of an entry indicates that trees generally do not grow to the given height.)

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
GoC2: GORIN-----	fragrant sumac; ninebark	Amur maple; gray dogwood; possumhaw	eastern redcedar	Austrian pine; common hackberry; honeylocust; Norway spruce; pin oak	---
KLB: KILWINNING-----	fragrant sumac; ninebark	Amur maple; gray dogwood; possumhaw	eastern redcedar	Austrian pine; common hackberry; honeylocust; Norway spruce; pin oak	---
LaC: LAMONI-----	---	---	---	---	---
LaD: LAMONI-----	---	---	---	---	---
LdD2: LINDLEY-----	---	---	---	---	---
LdE2: LINDLEY-----	---	---	---	---	---
LdF2: LINDLEY-----	---	---	---	---	---
Ma: MARION-----	fragrant sumac; ninebark	Amur maple; gray dogwood; possumhaw	eastern redcedar	Austrian pine; common hackberry; honeylocust; Norway spruce; pin oak	---
Qu: LIME STONE QUARRY-----	---	---	---	---	---

Scotland County, Missouri
Windbreaks and Environmental Plantings

(Absence of an entry indicates that trees generally do not grow to the given height.)

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
VgB: VIGAR-----	American plum; fragrant sumac	blackhaw; gray dogwood	eastern redcedar; nannyberry; Washington hawthorn	baldcypress; green ash; sweetgum	eastern white pine; pin oak
W: WATER-----	---	---	---	---	---
Wa: WABASH-----	buttonbush	possumhaw	eastern arborvitae; eastern redcedar; nannyberry	baldcypress; common hackberry; pin oak	eastern cottonwood
We: WESTERVILLE-----	American plum; fragrant sumac	blackhaw; gray dogwood	eastern redcedar; nannyberry; Washington hawthorn	baldcypress; green ash; sweetgum	eastern white pine; pin oak